Rocket Industrial, Inc.

SAFETY DATA SHEET

Issue Date 19-Feb-2018 Revision Date 19-Feb-2018 Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Trusted Clean Optimal

Other means of identification

Product Code N151-16059 Synonyms None

Details of the supplier of the safety data sheet

Company Name Rocket Industrial, Inc.

8101 International Drive Wausau, WI 54401 (800) 826-4405

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

Emergency Overview

Appearance Opaque White Physical state Liquid Odor Typical Acrylic Polymer

Precautionary Statements - Prevention

Use only in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray
Do not eat, drink or smoke when using this product
Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Tributoxyethyl Phosphate	78-51-3	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name			NIOSH IDLH IDLH: 600 ppm	
2-(2-methoxypropoxy)propano				
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm	
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³	
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm	
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³	
		(vacated) STEL: 900 mg/m ³		
		(vacated) S*		
		S*		

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses if handling large volume.

Skin and body protection Wear protective gloves and protective clothing if needed.

Respiratory protection Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

General Hygiene Handle in accordance with good industrial hygiene and safety practice. Wear suitable

gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color
Liquid
Opaque White
White

(butyl acetate = 1)

Typical Acrylic Polymer Odor No Information available **Odor threshold**

Property Values Remarks • Method

No data available

8.0 - 9.0 рΗ Specific Gravity 1.025

< 25 cP @ 25°C **Viscosity** Melting point/freezing point No Information available

Flash point Above 200°F

Boiling point / boiling range 100 °C / 212 ° F Degrees

Evaporation rate < 1

Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available

Water solubility Complete

Partition coefficient No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

8.55 Density Lbs/Gal **VOC Content (%)** 4.8

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause Inhalation

irritation of respiratory system.

Avoid contact with eyes. Contact with eyes may cause irritation. Eye contact

Skin Contact Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Do not taste or swallow. May cause gastro intestinal irritation. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50

Tributoxyethyl Phosphate	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
78-51-3			

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 8,048.00

 ATEmix (dermal)
 35,928.00

 ATEmix (inhalation-dust/mist)
 265.73

12. ECOLOGICAL INFORMATION

Ecotoxicity

23.63% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	mical Name Algae/aquatic plants Fish		Crustacea	
Tributoxyethyl Phosphate	-	10.4 - 12.0: 96 h Pimephales	-	
78-51-3		promelas mg/L LC50 flow-through		
2-(2-ethoxyethoxy)ethanol	-	10000: 96 h Lepomis macrochirus	3940 - 4670: 48 h Daphnia magna	
111-90-0		mg/L LC50 static 19100 - 23900: 96	mg/L EC50	
		h Lepomis macrochirus mg/L LC50	_	
		flow-through 11400 - 15700: 96 h		
		Oncorhynchus mykiss mg/L LC50		
		flow-through 11600 - 16700: 96 h		
		Pimephales promelas mg/L LC50		
		flow-through 13400: 96 h Salmo		
		gairdneri mg/L LC50 flow-through		
[2-(2-Methoxymethylethoxy)methyle	-	11619: 96 h Pimephales promelas	10: 48 h Daphnia magna mg/L	
thoxy]-propanol		mg/L LC50 static	EC50	
25498-49-1		_		
2-(2-methoxypropoxy)propano	-	10000: 96 h Pimephales promelas	1919: 48 h Daphnia magna mg/L	
34590-94-8		mg/L LC50 static	LC50	
Methyl Chloro Isothiazolinone	0.03 - 0.13: 96 h	1.6: 96 h Oncorhynchus mykiss	0.12 - 0.3: 48 h Daphnia magna	
26172-55-4	Pseudokirchneriella subcapitata	mg/L LC50 semi-static	mg/L EC50 Flow through 0.71 -	
	mg/L EC50 static 0.11 - 0.16: 72 h		0.99: 48 h Daphnia magna mg/L	
	Pseudokirchneriella subcapitata		EC50 Static 4.71: 48 h Daphnia	
mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50 Magnesium Chloride 2200: 72 h Desmodesmus 7786-30-3 subspicatus mg/L EC50			magna mg/L EC50	
		1970 - 3880: 96 h Pimephales	140: 48 h Daphnia magna mg/L	
		promelas mg/L LC50 static 4210: 96	EC50 Static 1400: 24 h Daphnia	
	-	h Gambusia affinis mg/L LC50 static	magna mg/L EC50	

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient	
Tributoxyethyl Phosphate	3.65 - 4.78	

78-51-3

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0	
[2-(2-Methoxymethylethoxy)methylethoxy]-propanol - 25498-49-1	1.0	
Zinc ammonium carbonate -	1.0	

SARA 311/312 Hazard Categories

No
No
No
No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol	X	-	X
111-90-0			
[2-(2-Methoxymethylethoxy)methyle thoxy]-propanol 25498-49-1	X	-	X
Zinc ammonium carbonate	X	-	X
Magnesium Nitrate 10377-60-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties -

16 OTHER INCORMATION

<u>HMIS</u> Health hazards 0 Flammability 0 Physical hazards 0 Personal protection B

Issue Date19-Feb-2018Revision Date19-Feb-2018

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet